

References in East China Sea

- Chen, Q C and Hwang J S. 1999. A New Species of *Tortanus* (Copepoda: Calanoida) from Taiwan, *Crustaceana* 72(3): 265-271.
- Liao C H, Chang W J, Lee M and Lee K. 2006. Summer distribution and diversity of copepods in upwelling waters of the southeastern East China Sea. *Zoological Studies* 45(3): 378-394.
- Hsieh C, Chen C and Chiu T. 2005. Composition and abundance of copepods and ichthyoplankton in Taiwan Strait (western North Pacific) are influenced by seasonal monsoons. *Marine and Freshwater Research* 56(2): 153-161.
- Hsieh C, Chiu T and Shih C. 2004. Copepod diversity and composition as indicators of the intrusion of the Kuroshio Branch Current into the northern Taiwan Strait in spring 2000. *Zoological Studies* 43(2): 393-403.
- Hsieh CH, Chiu TS, Shih CT. 2004. Copepod diversity and composition as indicators of intrusion of the Kuroshio Branch Current into the northern Taiwan Strait in spring 2000. *Zoological Studies* 43 (2): 393-403.
- Hwang JS, Souissi S, Tseng LC, Seuront L, Schmitt FG, Fang LS, Peng SH, Wu CH, Hsiao SH, Twan WH, Wei TP, Kumar R, Fang TH, Chen QC and Wong CK.. 2006. A 5-year study of the influence of the northeast and southwest monsoons on copepod assemblages in the boundary coastal waters between the East China Sea and the Taiwan Strait. *Journal of Plankton Research* 28 (10): 943-958.
- Hwang JS, Chen Q C and Wong CK. 1998. Taxonomic composition and grazing rate of Calanoid copepods in coastal waters of northern Taiwan. *Crustaceana* 71(4): 378-389.
- Hwang J S, Chen Q C and Wong C K. 2003. Taxonomic composition, density and biomass of free-living copepods in the coastal waters of southwestern Taiwan. *Crustaceana* 76(2): 193-206.
- Hwang JS, Tu YY, Tseng LC, Fang LS, Souissi S, Fang TH, Lo WT, Twan WH, Hsiao SH, Wu CH, Peng SH, Wei TP and Chen QC. 2004. Taxonomic composition and seasonal distribution of copepod assemblages from waters adjacent to nuclear power plant I and II in Northern Taiwan. *J. Marine Science and Technology* 12(5): 380-391.
- Lan YC, Shih CT, Lee MA and Shieh HZ. 2004. Spring distribution of copepods in relation to water masses in the Northern Taiwan Strait. *Zoological Studies* 43 (2): 332-343.
- Lo WT, Chung CL and Shih CT. 2004. Seasonal distribution of copepods in Tapong Bay, Southwestern Taiwan. *Zoological Studies* 43 (2): 464-474.
- Lo WT, Hwang JS and Chen QC. 2004. Spatial distribution of copepods in surface waters of the Southeastern Taiwan Strait. *Zoological Studies* 43 (2): 218-228.
- Lo WT, Shih CT and Hwang JS. 2004. Diel vertical migration of the planktonic copepods at an upwelling station north of Taiwan, western North Pacific. *Journal of Plankton Research* 26 (1): 89-97.
- Lo WT, Shih C T and Hwang J S. 2004. Copepod assemblages and diel vertical migration in the East China Sea, north of Taiwan. *Crustaceana* 77(8): 955-971.

- Lo W T, Shih C T and Hwang J S. 2004. Diurnal vertical distribution of copepods in an upwelling station north of Taiwan, western North Pacific. *Journal of Plankton Research* 26(1): 89-97.
- Lo W T, Hwang J S and Chen Q C. 2001. Identity and abundance of surface dwelling, coastal copepods of southwestern Taiwan. *Crustaceana* 74(10): 1139-1157.
- Lo WT, Hwang JS and Chen QC. 2004. Spatial distributions of copepods in surface waters of the southeastern Taiwan Strait. *Zoological Studies* 43(2): 218-228.
- Chang W and Fang Lee. 2004. Temporal and spatial variations in the species composition, distribution, and abundance of copepods in Kaohsiung Harbor, Taiwan. *Zoological Studies* 43(2): 454-463.
- Wong C K, Hwang J S and Chen Q C. 1998. Taxonomic Composition and Grazing Impact of Calanoid Copepods in Coastal Waters Near Nuclear Power Plants in Northern Taiwan, *Zoological Studies* 37(4): 330-339.
- Wu C H, Hwang J S and Yang J S. 2004. Diet of three copepods (Poecilostomatoida) in the southern Taiwan Strait. *Zoological studies* 43(2): 388-392.
- Zuo T, Wang R, Chen Y, Gao S and Wang K. 2006. Autumn net copepod abundance and assemblages in relation to water masses on the continental shelf of the Yellow Sea and East China Sea. *Journal of Marine Systems* 59: 159-172.
- 蔡秉及, 连光山, 林玉辉, 林茂, 戴燕玉, 林景宏, 陈瑞祥. 1995. 台湾海峡西部海域浮游动物的基本特征. *海洋学报*, 17 (2) : 93—98. [Cai B, Lian G, Lin Y, Lin M, Dai Y, Lin J, Chen R. 1995. Characteristic of zooplankton in western Taiwan Strait. *Acta Oceanologica Sinica* 17(2): 93-98. (In Chinese without English title or abstract)]
- 蔡秉及, 连光山, 林茂, 林玉辉. 1994. 厦门港及邻近海域浮游动物的生态研究. *海洋学报*, 16 (4) : 137—142. [Cai B, Lian G, Lin M, Lin Y. 1994. Zooplankton ecology in Xiamen Harbor and adjacent areas. *Acta Oceanologica Sinica* (In Chinese without English title or abstract)]
- 蔡燕红, 张海波, 王晓波, 项有堂. 2006. 杭州湾生态监控区浮游动物多样性研究, *海洋环境科学* 25 增刊: 60—63. [Cai Yanhong, Zhang Haibo, Wang Xiaobo, Xiang Yutang. 2006. Study on diversity of zooplankton in ecology-monitoring area of Hangzhou Bay. *Marine Environmental Science* 25 Supp.1: 60-63. (In Chinese with English abstract)]
- 陈峰, 李少菁. 1991. 厦门港歪水蚤数量的季节变化与滞育卵的研究, *海洋学报* 13(5): 721-727. [Chen F, Li S. 1991. Abundance variation and diapause egg of *Tortanus*. *Acta Oceanologica Sinica* (In Chinese without English title or abstract)]
- 陈禾张, 黄将修, 连光山. 2004. 台湾北部近岸海域春末浮游动物组成及分布特征, *台湾海峡* 23 (1) : 62—68. [CHEN Hochang, HWANG Jiangshiou, LIAN Guangshan. 2004. Composition and distribution of zooplankton in northern coastal waters of Taiwan in late spring. *Journal of Oceanography in Taiwan Strait* 23(1): 62-68. (In Chinese with English abstract)]
- 陈清潮, 陈亚瞿, 胡雅竹. 1980. 南黄海和东海浮游生物群落的初步探讨, *海洋学报*, 2 (2): 149-157. [CHEN Qingchao, CHEN Yaqu, HU Yazhu. 1980. Preliminary study on the plankton communities in the Southern Yellow Sea and the East China Sea. *Acta Oceanologica Sinica* 2(2): 149-159 (in Chinese with English abstract)]
- 陈清潮, 黄将修, 黄剑俭. 1998. 东北季风初期台湾北部沿岸海域浮游动物的特点, *台湾海*

- 峡, 17 (1): 87-90。 [Cheng Qingchao, Hwang Jiangshiou, Wong Chongkim. 1998. Characteristics of zooplankton in northern coastal Taiwan during NE monsoon initial period. *Journal of Oceanography in Taiwan Strait*, 17 (1): 87-90. (In Chinese with English abstract)]
- 陈瑞祥, 林景宏, 林茂, 戴燕玉。1998。厦门西港浮游动物生态研究。台湾海峡 17 (3) : 294—298。 [CHEN Ruixiang, LIN Jinghong, LIN Mao and DAI Yanyu. 1998. Ecological study on zooplankton in western Xiamen Harbour. *Journal of Oceanography in Taiwan Strait* 17(3): 294-298. (In Chinese with English abstract)]
- 陈亚瞿, 徐兆礼, 李志诚, 王云龙。1992。杭州湾北岸上海石化总厂附近海域浮游动物生态的初步研究, 海洋环境科学, 11 (1) : 9-13。 [Chen Yaqu, Xu Zhaoli, Li Zhicheng, Wang Yunlong. 1992. Preliminary study on zooplankton ecology in Hangzhou Bay. *Marine Environmental Science* 11(1): 9-13. (In Chinese without English title or abstract)]
- 陈亚瞿, 徐兆礼, 王云龙, 胡方西, 胡辉, 谷国传。1995。长江口河口锋区浮游动物生态研究 I。生物量及优势种的平面分布, 中国水产科学, 2 (1) : 49—58。 [Chen Yaqu, Xu Zhaoli, Wang Yunlong, Hu Fangxi, Hu Hui, Gu Guochuan. 1995. An ecological study on zooplankton in plume frontal zone of Changjiang (Yangtze) River Estuarine area I. Biomass distribution of dominant species. *Journal of Fishery Sciences of China*, 2(1): 49-58 (in Chinese with English Abstract)]
- 陈亚瞿, 徐兆礼, 杨元利。2003。黄海南部及东海中小型浮游桡足类生态学研究II。种类组成及群落特征, 水产学报, 27增刊: 9-15。 [CHEN Yaqu, XU Zhaoli, YANG Yuanli. 2003. Study on ecology of meso-small pelagic copepods in the Southern Yellow Sea and the East China Sea II. Species composition and community characteristic. *Journal of Fisheries of China* 27 suppl.: 9-15. (In Chinese with English abstract)]
- 陈亚瞿, 徐兆礼, 赵文武。2003。黄海南部及东海中小型浮游桡足类生态学研究III。优势种, 水产学报, 27增刊: 16-22。 [CHEN Yaqu, XU Zhaoli, ZHAO Wenwu. 2003. Study on ecology of meso-small pelagic copepods in the Southern Yellow Sea and the East China Sea III. Dominant species. *Journal of Fisheries of China* 27 suppl.: 16-22. (In Chinese with English abstract)]
- 陈亚瞿, 徐兆礼。1990。南黄海、东海鲐鲹鱼索饵场浮游动物生态特征, 应用生态学报1(4): 327- 332。 [CHEN Yaqu and XU Zhaoli. 1990. Ecological characteristics of zooplankton in feeding ground of mackerel and scads from Southern Yellow Sea and East China Sea. *Journal of Applied Ecology* 1(4): 327- 332. (in Chinese with English abstract)]
- 陈亚瞿, 徐兆礼, 王云龙, 胡方西, 韩明宝, 严宏昌。1995。长江口河口锋区浮游动物生态研究 II. 种类组成、群落结构、水系指示种, 中国水产科学, 2 (1) : 59—63。 [Chen Yaqu, Xu Zhaoli, Wang Yunlong, Hu Fangxi, Han Mingbao, Yan Hongchang. 1995. An ecological study on zooplankton in plume front zone of Changjiang (Yangtze) River Estuary area II. Species composition, community structure and indicator species. *Journal of Fishery Sciences of China* 2(1): 59-63 (in Chinese with English abstract)]
- 陈亚瞿, 郑国兴, 朱启琴。1985。长江口浮游动物初步研究, 东海海洋, 3 (3): 53-61。 [CHEN Yaqu, ZHENG Guoxing, ZHU Qiqin. 1985. A preliminary study of the zooplankton in the Changjiang Estuary Area. *Donghai Marine Sciences* 3 (3): 53-61 (in Chinese with English abstract)]
- 陈亚瞿, 朱启琴, 陈清潮。1980。黄海南部和东海浮游动物分布与鲐鲹渔场的关系, 水产学报, 4(4): 371-688。 [Chen Yaqu, Zhu Qiqin, Chen Qingchao. 1980. The relationship

- between the distribution of zooplankton and fishing grounds of the mackerels and scads in the waters of the southern Huang Hai and the Dong Hai. *Journal of Fisheries of China* 4(4): 371-688. (In Chinese with English abstract)]
- 陈亚瞿等。1980。东海浮游动物量的分布特征, 海洋学报, 2(4): 115-120。 [Chen Yaqu, Zhu Qiqin, Chen Qingchao. 1980. The distribution characteristics of biomass of zooplankton from the East China Sea. *Acta Oceanologica Sinica* 2(4): 115-120 (In Chinese with English abstract)]
- 方金钊, 李福振, 洪幼环, 黄美珍。1979。闽南—台湾浅滩渔场浮游动物调查报告。福建水产科技(3): 1—71 [Fang J, Li Z, Hong Y, Huang M. 1979. Zooplankton in Southern Fujian and Taiwan Bank, *Feshery Science of Fujian* 3: 1-71. (In Chinese without English abstract)]
- 方金钊, 钟枚莉, 黄美珍。1984。闽中渔场浮游动物与中心渔场的关系, 福建水产 本年第4期: 17—21。 [Fang J, Zhong M, Huang M. 1984. Relationship between zooplankton and fishing ground in Middle Fujian. *Fishery in Fujian* 4:17-21 (In Chinese with English title without English abstract)]
- 高露娇, 杨元利, 李丁成, 陈亚瞿。2003。黄海南部及东海中小型浮游桡足类生态学研究IV。拟哲水蚤属, 水产学报, 27增刊: 23-30。 [GAO Lujiao, YANG Yuanli, LI Dingcheng, CHEN Yaqu. 2003. Study on ecology of meso-small pelagic cope pods in the Southern Yellow Seas and the East China Sea IV. *Paracalanus* Genus. *Journal of Fisheries of China* 27 suppl.: 23-30. (In Chinese with English abstract)]
- 高如承, 邱文仁, 齐秋贞, 林岗。1996。海蚌保护区浮游动物生物量和密度分布, 福建师范大学学报(自然科学版) 12(3): 71—76。 [GAO Rucheng, QIU Wenren, QI Qiuzhen, LIN Gang. 1996. Distribution of biomass and density of zooplankton at nature sanctuary of *Coelomactra antiquata* (Spengler). *Journal of Fujian Teachers University (Natural Science)* 12(3): 71- 76. (In Chinese with English abstract)]
- 高尚武, 张河清。1992。长江口区浮游动物生态研究, 海洋科学集刊, 33: 202-216。 [Gao Shangwu, Zhang Heqing. 1992. On the ecology of zooplankton in the Changjiang River Estuary. *Studia Marina Sinica* 33: 202-216 (In Chinese with English abstract)]
- 郭沛涌, 沈焕庭, 刘阿成, 王金辉, 杨元利。2003。长江河口浮游动物的种类组成、群落结构及多样性, 生态学报, 23(5): 892-900。 [GUO Peiyong, SHEN Huanting, LIU Acheng, WANG Jinhui, YANG YuanLi. 2003. The species composition, community structure and diversity of zooplankton in Changjiang estuary. *Acta Ecologica Sinica* 23(5): 892-900 (in Chinese with English abstract)]
- 何德华, 杨关铭, 王正方, 王春生, 陈永寿, 胡锡刚。1999。秦山核电站运行后对邻近海域生态环境及其水质影响评价, 海洋环境科学, 18(2): 53—58。 [HE Dehua, YANG Guanming, WANG Zhenfang, WANG Chunsheng, CHEN Yongshou, HU Xigang. 1999. Assessment of effects of Qinshan nuclear power station on the ecological environment and water quality of its adjacent waters after running. *Marine Environmental Science* 18(2): 53-58. (In Chinese with English abstract)]
- 何德华, 杨关铭, 方绍锦, 沈伟林, 刘红斌, 高爱根。1987。浙江沿岸上升流区浮游动物生态研究 I. 生物量及主要类群丰度, 海洋学报, 9(1): 79—92。 [He D, Yang G, Fang S, Shen W, Liu H, Gao A. 1987. Zooplankton ecology in Zhejiang Upwelling Current. I. biomas and abundance of dominant group. *Acta Oceanologica Sinica* 9(1): 79-92. In Chinese without English title or abstract]

- 何德华,杨关铭,沈伟林,刘红斌。1987。浙江上升流区浮游动物生态研究 II。浮游动物种类分布与多样性,海洋学报,9(5):617-626。[He D, Yang G, Shen W, Liu H. 1987. Zooplankton ecology in Zhejiang Upwelling Current. II. Species and diversity of zooplankton. Acta Oceanologica Sinica 9(5): 617-626. (In Chinese without English title or abstract)]
- 何德华。1991。秦山核电站临近水域生态特点,东海海洋 9(2):119-123。[HE Dehua. 1991. Ecological characteristics of the waters near Qinshan Nuclear Power Station. Donghai Marine Science 9(2): 119-123. (In Chinese with English abstract)]
- 黄凤鹏,孟凡,刘东艳,孙军。2000。东海北部黑潮区的浮游桡足类,黄渤海海洋,18(3):61-65。[HUANG Fengpeng, MENG Fan, LIU Dongyan, SUN Jun. 2000. Distribution of Copepoda in the Kuroshio Region in the Northern East China Sea. Journal of Oceanography of Huanghai & Bohai Seas 18(3): 61-65. (In Chinese with English abstract)]
- 黄加祺,李少菁,陈亚萍。1991。福建罗源湾浮游桡足类的分布,台湾海峡,10(1):46-51。[Huang Jiaqi, Li ShaoJing, Chen Yaping. 1991. Distribution of pelagic copepods in Luoyuan Bay, Fujian. Journal of Oceanography in Taiwan Strait 10(1): 46-51. (In Chinese with English abstract)]
- 黄加祺,洪幼环,朱长寿,陈栩。1997。福建南日岛海域浮游动物的分布,东海海洋,15(4):46-53。[HUANG Jiaqi, HONG Youhua, Zhu Changshou, Chen Xu. 1997. Distribution of zooplankton in Nanri Islands sea area of Fujian Province. Donghai Marine Science, 15(4): 46-53. (In Chinese with English abstract)]
- 黄加祺,李少菁,侯红兵。2000。福建罗源湾浮游桡足类群落特征,海洋科学,26(4):1-4。[HUANG Jiaqi, LI ShaoJing, HOU Hongbing. 2000. Community characteristics of planktonic copepods in Luoyuan Bay, Fujian. Marine Sciences 26(4): 1-4. (In Chinese with English title, no English abstract)]
- 黄加祺,陈柏云。1985。九龙江口浮游桡足类的种类组成和分布,台湾海峡 4(1):79-88。[HUANG Jiaqi, CHEN Boyun. 1985. Species composition and distribution of planktonic copepods in the Jiulong Jiang Estuary, Fujian. Taiwan Strait 4(1): 79-88 (in Chinese with English abstract)]
- 黄加祺,朱长寿,李少菁。2000。ENSO 现象在夏季对台湾海峡南部浮游桡足类分布的影响,海洋科学,24(4):1-4。[Huang Jiaqi, Zhu Changshou, Li Shaojing. 2000. Effects of ENSO events on pelagical copepoda in southern Taiwan Strait in summer. Marine Sciences 24(4): 1-4. (In Chinese with English title without English abstract)]
- 黄加祺。1983。九龙江口大、中型浮游动物的种类组成和分布,厦门大学学报(自然科学版) 22(1):88-95。[Huang Ziachi. 1983. On the species composition and distribution of estuarine zooplankton at the Jiulong River. Journal of Xiamen University (Natural Science) 22(1): 88-95. (In Chinese with English abstract)]
- 黄加祺等。1989。福建罗源湾浮游动物的种类组成和数量分布,厦门大学学报(自然科学版),第28卷增刊:85-95。(Huang et al. 1989. Zooplankton species composition and abundance in Luoyuan Bay, Fujian China. Journal of Xiamen University (Natural Science) 28 suppl.: 85-95. (In Chinese without English title or abstract)]
- 黄美珍,罗冬莲。1998。同安湾浮游动物的基本特征及水质评价,福建水产,(3):34-39。[Huang Meizhen, Luo Donglian. 1998. Basic characteristics of zooplankton in Tongan Bay and assessment of water quality. Journal of Fujian Fisheries 3: 34-39. (In Chinese

- with English abstract)]
- 黄世玫等。1986。长江口及济州岛临近海域综合调查报告，第五章第三节浮游动物名录（桡足类），山东海洋学院学报，16(2): 55—87。[HUANG Shimei. 1986. Chapter 5 Section 3 Ecology study of zooplankton. Comprehensive survey and research report on the water areas adjacent to the Changjiang River Estuary and Chejudo Island (2). Journal of Shandong College of Oceanography 16 (2): 55-87 (in Chinese with English abstract)]
- 纪焕红，叶属峰，黄秀清。2004。上海市金山三岛海域浮游动物分布特征，海洋通报 23(5): 87—91。[Ji Huanhong, Ye Shufeng, Huang Xiuqing. 2004. Distributional characteristics of zooplankton in Jinshan-Three-Island Sea Area. Marine Science Bulletin 23(5): 87-91 (In Chinese with English abstract)]
- 纪焕红，叶属峰，刘星，洪君超。2006。南麂列岛海洋自然保护区浮游动物的物种组成及其多样性，生物多样性，14(3): 206-215。[Huanhong Ji, Shufeng Ye, Xing Liu, Junchao Hong. 2006. The species composition and diversity of zooplankton in Nanji Islands National Nature Reserve. Biodiversity Science 14 (3): 206-215. (In Chinese with English abstract)]
- 纪焕红，叶属峰。2006。长江口浮游动物生态分布特征及其与环境的关系，海洋科学 30(6): 23—30。[Ji Huanhong, Ye Shufeng. 2006. Ecological distribution characteristics of zooplankton and its relationship with environmental factors in the Changjiang River estuary. Marine Sciences 30(6): 23-30. (In Chinese with English abstract)]
- 柯才焕，谢建国，关金藏，苏跃中，叶良祥，阮新艳，刘用前。1988。东吾洋水域营养盐与浮游生物量初步研究，福建水产(2)，24—31。[Ke C, Xie J, Guan J, Su Y, Ye L, Ruan X, Liu Y. 1988. Nutrient elements and zooplankton biomass in Dongwuyang, Fujian Fishery 2: 24-31. (In Chinese with English title without English abstract)]
- 李丁成，徐兆礼，高露娇，陈亚瞿。2003。黄海南部与东海的隆剑水蚤（桡足类：剑水蚤目）生态分布，中国水产科学，10(6): 481—484。[LI Dingcheng, XU Zhaoli, GAO Lujiao, CHEN Yaqu. 2003. Ecological distribution of Oncaeidae (Copepoda: Cyclopoida) in the south of the Yellow Sea and the East China Sea. Journal of Fishery Sciences of China 10(6): 481-484. (In Chinese with English abstract)]
- 李培军，马莹，林兆岚，王志伟，刘明安，马成林。1994。黄海北部中国对虾放流虾的生物环境，海洋水产研究，15: 19—30。[LI Peijun, MA Ying, LIN Zhaolan, WANG Zhiwei, LIU Mingan, MA Chenglin. 1994. Biological environment of releasing Chinese shrimp (*Penaeus orientalis*) in the northern Yellow Sea. Marine Fisheries Research 15: 19-30. (In Chinese with English abstract)]
- 李少菁。1963。福建沿海太平洋哲镖蚤（*Calanus pacificus* Brodsky）的比较形态研究，厦门大学学报，10(1): 57—81。[LEE Shaoching. 1963. Studies on the comparative morphology of *Calanus pacificus* off Fukien coast. Journal of Xiamen University 10 (1): 57-81]
- 李少菁，黄加祺。1984。九龙江口桡足类两新种，厦门大学学报（自然科学版），23(3): 381—390。[LI Shaojing, HUANG Jiaqi. 1984. On two new species of planktonic copepoda from the Estuary of Jiulong River, Fujian, China. Journal of Xiamen University (Natural Science) 23 (3): 381-390 (in Chinese with English abstract)]
- 林景宏，陈瑞祥，戴燕玉，林茂，黄依金。1991。东山湾浮游动物的生态，台湾海峡，10(3): 205—212。[Lin Jinghong, Chen Rulxiang, Dai Yanyu, Lin Mao and Hang Yijin. 1991. Ecological studies of zooplankton in Dongshan Bay. Journal of Oceanography in

- Taiwan Strait 10(3): 205-212. (In Chinese with English abstract)]
- 林景宏, 陈瑞祥, 林茂, 戴燕玉。1998。三沙湾浮游动物的分布及其与兴化湾、东山湾的比较, 台湾海峡 17(4): 426-432。[LIN Jinghong, CHEN Ruixiang, LIN Mao and DAI Yanyu. 1998. Distribution of zooplankton in Sansha Bay and its comparison with that in Xinghua Bay and Dongshan Bay. Journal of Oceanography in Taiwan Strait 17(4): 426-432. (In Chinese with English abstract)]
- 林景宏, 陈瑞祥。1992。东山湾浮游桡足类的分布。海洋通报, 11(4): 41-46。[Lin Jinghong, Chen Rulxiang. 1992. Distribution of planktonic copepods in Dongshan Bay, Fujian Province. Marine Science Bulletin 11(4): 41-46. (In Chinese with English Abstract)]
- 林景宏, 王小平, 陈瑞祥。1997。福建三沙湾浮游桡足类的分布, 海洋通报, 16(6): 13-19。[LIN Jinghong, WANG Xiaoping, CHEN Ruixiang. 1997. Distribution of planktonic copepods in Sansha Bay, Fujian. Marine Science Bulletin 16(6): 13-19. (In Chinese with English abstract)]
- 林妙灵, 林茂, 林景宏, 戴燕玉, 陈瑞祥。1999。旧镇湾浮游动物的分布及其与东山湾的比较, 台湾海峡, 18(4): 359-364。[LIN Miaoling, LIN Mao, LIN Jinghong, DAI Yanyu and CHEN Ruixiang. 1999. Distribution of zooplankton in Jiuzhen Bay and a comparison it with Dongshan Bay. Journal of Oceanography in Taiwan Strait 18(4): 359-364. (In Chinese with English abstract)]
- 林森杰, 李松。1990。厦门港真刺唇角水蚤的生长率。台湾海峡, 9(1): 48-55。[LIN Senjie and LI Song. 1990. Growth rate of *Labidocera eucheata* Giesbrecht in Xiamen Harbor, Fujian. Taiwan Strait 9(1): 48-55. (In Chinese with English abstract)]
- 林玉辉, 连光山。1988。台湾海峡西部海域浮游桡足类的生态。台湾海峡, 7(3): 248-255。[LIN Yuhui, LIAN Guangshan. 1988. Ecology of planktonic copepods in the Taiwan Strait. Journal of Oceanography in Taiwan Strait 7(3): 248-255 (in Chinese with English abstract)]
- 林玉辉, 中村保昭。1992。日本九州西南部东海黑潮区浮游桡足类的分布。海洋学报, 14(2): 91-98。[Lin Y. 1992. Copepod distribution in Kuroshio in southwestern Kyushu. Acta Oceanologica Sinica 14(2): 91-98. (In Chinese without English title or abstract)]
- 林元烧, 曹文清, 方旅平, 杨圣云。2002。厦门及其邻近地区虾池浮游动物的组成及分布, 海洋科学, 26(5): 8-12。[LIN Yuanshao, CAO Wenqing, FANG Lu ping, YANG Shengyun. 2002. Species composition and their distribution of zooplankton in prawn ponds cultured along Xiamen and its adjacent areas. Marine Sciences 26(5): 8-12. (In Chinese with English abstract)]
- 刘镇盛, 王春生, 张志南等。2006。三门湾浮游动物的季节变动及微型浮游动物摄食影响, 生态学报, 26(12): 3931-3941。[Liu Z, Wang C, Zhang Z. 2006. Seasonal dynamics of zooplankton and microzooplankton grazing impact in Sanmen Bay, China. Acta Ecologica Sinica 26(12): 3931-3941. (In Chinese with English abstract)]
- 刘镇盛, 王春生, 杨俊毅, 张健, 朱根海。2004。象山港冬季浮游动物的分布。东海海洋, 22(1): 34-42。[LIU Zhensheng, WANG Chunsheng, YANG Junyi, ZHANG Jian, ZHU Genhai. 2004. Distribution of zooplankton in the Xiangshangang Bay in winter. Donghai Marine Science 22(1): 34-42. (In Chinese with English abstract)]
- 刘镇盛, 王春生, 张志南, 蔡昱明, 张东声。2005。乐清湾浮游动物的季节变动及摄食率。生态学报, 25(8): 1853-1862。[LIU ZhenSheng, WANG ChunSheng, ZHANG ZhiNan, CAI YuMing, ZHANG DongShen. 2005. Seasonal dynamics and grazing rate of

- zooplankton in Yeqing Bay. *Acta Ecologica Sinica* 25(8): 1853- 1862. (In Chinese with English abstract)]
- 罗冬莲, 黄美珍. 1997. 大港湾浮游动物调查报告, 福建水产, 1997年12月 (4): 11-18. [Luo Donglian Huang M eizhe. 1997. Survey report of zooplankton in Dagang Bay. *Journal of Fujian Fisheries* Dec 1997 (4): 11-18. (In Chinese with English abstract)]
- 罗冬莲, 黄美珍. 2002. 福建深沪湾浮游桡足类的分布, 台湾海峡, 21 (4): 11-18. [LUO Donglian, HUANG Meizhen. 2002. Survey report of zooplankton in Dagang Bay. *Journal of Fujian Fisheries* Dec 1997 (4): 11-18. (In Chinese with English abstract)]
- 罗冬莲. 2004. 同安湾浮游动物数量的平面分布和季节变动, 福建水产, 2004年6月第2期: 14-20. [LUO Donglian. 2004. Horizontal distribution and seasonal variation on quantity of zooplankton in Tongan Bay. *Journal of Fujian fisheries* 第2期: 14-20 (In Chinese with English abstract)]
- 罗冬莲. 2004. 厦门三个重要养殖水域浮游动物的数量分布特征, 台湾海峡, 23(4): 458-468. [LUO Donglian. 2004. Quantitative distribution characteristics of zooplankton from three important mariculture areas of Xiamen. *Journal of Oceanography in Taiwan Strait* 23(4): 458-468. (In Chinese with English abstract)]
- 罗冬莲. 1998. 兴化湾夏季浮游动物的生态研究, 福建水产, 77: 18—24. [LUO Donglian. 1998. Ecological studies of zooplankton in Xinghua Bay in summer. *Journal of Fujian Fisheries* 77: 18-24. (In Chinese with English abstract)]
- 羅文增, 鍾家錄, 石長泰. 2003. 屏東大鵬灣浮游桡足類之種類組成及季節消長, 環境保護會刊, 26(1): 113 – 134. [Luo W, Zhong J, Shi C. 2003. Copepod species composition and seasonal variation in Dapeng Bay. *Environment Protection* 26(1): 113-134. (In Chinese without English title or abstract)]
- 毛兴华, 杨小龙. 1997. 桑沟湾浮游动物生产力及其转换效率, 海洋学报, 19 (4) : 138 – 141. [Mao X, Yang X. 1997. Zooplankton production and transfer efficiency in Sanggou Bay. *Acta Oceanologica Sinica* 19(4): 138-141. (In Chinese without English title or abstract)]
- 孟凡, 陈士群, 吴宝铃. 1996. 东海黑潮区浮游动物的生物量分布, 海洋学报, 18 (5) : 82—88. [Meng F, Chen S, Wu B. 1996. Zooplankton biomass distribution in Kuroshio, East China Sea. *Acta Oceanologica Sinica* 18(5): 82-88. (In Chinese without English title or abstract)]
- 孟凡, 毛兴华, 黄凤鹏, 俞建奎, 张锡烈, 马兆党, 李钦亮. 1995. 东海黑潮锋面涡旋区浮游动物的分布, 生态学报, 15 (3) : 296—304. [MENG Fan, CHEN Shuiming, HUANG Fengpeng, YU Jianluan, ZHANG Xilie, MA Zhaodang, LI Qinliang. 1995. Distribution of zooplankton in the frontal eddy region of the Kuroshio in the East China Sea. *Acta Ecologica Sinica* 15(3): 296-304. (In Chinese with English abstract)]
- 孟凡, 毛兴华, 俞建奎, 张锡烈, 黄凤鹏, 李瑞香. 1987. 江苏海岸带水域浮游动物的种类组成和分布, 生态学报, 7(3): 256-266. [MENG Fan, MAO Xinghua, YU Jianluan, ZHANG Xilie, HUANG Fengpeng, LI Ruixiang. 1987. On the composition and distribution of zooplankton species in the coastal waters off Jiangsu Province. *Acta Ecologica Sinica* 7 (3): 256-266 (in Chinese with English abstract)]
- 孟凡, 丘建文, 吴宝玲. 1993. 黄海大海洋生态系的浮游动物, 黄渤海海洋, 11(3): 30-37. [MENG Fan, QIU Jianwen, WU Baoling. 1993. Zooplankton of the Yellow Sea large marine ecosystem. *Journal of Oceanography of Huanghai & Bohai Seas* 11(3): 30-37. (In

Chinese with English abstract)]

- 商栩, 王桂忠, 李少菁。2005。福建九龙江口火腿许水蚤各发育期耐盐能力与生态分布的关系。台湾海峡, 24(3): 330-338。[Shang Xu, Wang Gui-zhong, Li Shao-jin. 2005. Relationship between salinity tolerance during different developmental phase and ecological distribution of *Schmackeria poplesia* in Jiulongjiang Estuary in Fujian. Journal of Oceanography in Taiwan Strait 24(3): 330-338. (In Chinese with English abstract)]
- 沈嘉瑞。1955。江苏奉贤近海甲壳类动物的研究, 动物学报, 7(2): 75-100 [SHEN Chia-jui 1955. On some marine crustaceans from the coastal water of Fenghsien, Kiangsu Province. Acta Zoologica Sinica 7(2): 75-100. (In Chinese without English title and abstract)]
- 帅莉, 殷效彩, 杨小妮, 杨永亮。2003。山东荣成月湖浮游动植物的研究, 青岛大学学报, 18(4): 70-75。[SHUAI Li, YIN Xiaocai, YANG Xiaoni, YANG Yongliang. 2003. Studies on phytoplakton and zooplankton in the Yuehu Inlet, Shangdong Peninsular. Journal of Qingdao University 18(4): 70-75. (In Chinese with English abstract)]
- 王春生, 杨关铭, 何德华, 张敏。1999。秦山核电站邻近水域浮游动物的群落结构和年际变化, 东海海洋, 17(1): 37-47。[WANG Chunsheng, YANG Guanming, HE Dehua, ZHANG Min. 1999. Community structure and annual variation of zooplankton in the waters near the Qinshan nuclear power station. Donghai Marine Science 17(1): 37-47. (In Chinese with English abstract)]
- 王春生, 刘镇盛, 何德华, 2003, 象山港浮游动物生物量和丰度的季节变动, 水产学报, 27(6): 595-599。[WANG Chunsheng, LIU Zhensheng, HE Dehua. 2003. Seasonal dynamics of zooplankton biomass and abundance in Xiangshan Bay. Journal of Fisheries of China 27(6): 595-599. (In Chinese with English abstract)]
- 王春生, 杨关铭, 朱根海, 何德华。1998。南麂列岛附近海域浮游动物的分布及其与浮游藻类和营养盐的关系, 东海海洋, 16(2): 41-48。[WANG Chunsheng, YANG Guanming, ZHU Genhai, HE Dehua. 1998. Distribution of zooplankton and its relation to planktonic algae and nutrients in the waters near Nanji Islands. Donghai Marine Science 16(2): 41-48. (In Chinese with English abstract)]
- 王桂忠, 李少菁。1991。厦门港海区两种常见纺锤水蚤(*Acartia*)形态特征的比较研究。厦门大学学报(自然科学版) 30(1): 78-83。[WANG Guizhong, LI Shaojing. 1991. A comparative study on the characteristics of population form of two common species of *Acartia* from Xiamen waters. Journal of Xiamen University (Natural Science) 30(1): 78-83. (In Chinese with English abstract)]
- 王克, 王荣, 左涛, 高尚武。2004。长江口及邻近海区浮游动物总生物量分析, 海洋与湖沼, 35(6): 568-576。[Wang Ke, Wang Rong, Zuo Tao, Gao ShangWu. 2004. Analysis of zooplankton biomass in Changjiang River estuary and adjacent waters. Oceanologia et Limnologia Sinica 35(6): 568-576 (in Chinese with English abstract)]
- 王克, 王荣, 高尚武。2001。东海浮游动物昼夜垂直移动的初步研究, 海洋与湖沼, 32(5): 534-540。[WANG Ke, WANG Rong, GAO ShangWu. 2001. Preliminary study on the diurnal vertical migration of zooplankton in the East China Sea. Oceanologia Et Limnologia Sinica 32(5): 534-540. (In Chinese with English abstract)]
- 王荣, 陈亚瞿, 王克, 左涛。2003。东海中华哲水蚤的年产量估算, 生态学报, 23(6): 1212-1215。[WANG Rong, CHEN Yaqu, WANG Ke, ZUO Tao. 2003. Estimation of the annual production of *Calanus sinicus* Brodsky (Copepoda: Calanoida) in the East China

- Sea. *Acta Ecologica Sinica* 23(6): 1212- 1215. (In Chinese with English abstract)]
- 厦门大学生物系海洋生物教研组, 福建海洋研究所海洋生物研究室。1960。厦门及其附近沿海浮游桡足类生态的初步研究, 厦门大学学报, 自然科学版, 3期, 64—73。[Marine Biological Laboratory, Fujian Institute of Oceanology; Division of Marine Biology, Dept. of Biology, Amoy University. 1960. A preliminary study on the ecology of the copepoda of Amoy Harbor and Dongshan Island. *Journal of Xiamen University (Natural Science)* (3): 64-73. (In Chinese with English abstract)]
- 徐兆礼, 陈亚瞿。1989。东黄海秋季浮游动物优势种聚集强度与鲐鲷渔场的关系, 生态学杂志, 8(4) 13—15。[Xu Zhaoli, Chen Yaqu. 1989. Aggregated intensity of dominant species of zooplankton in autumn in the East China Sea and Yellow Sea. *Journal of Ecology* 8(4): 13-15. (In Chinese with English abstract)]
- 徐兆礼, 王云龙, 白雪梅, 陈亚瞿。1999。长江口浮游动物生态研究, 中国水产科学, 6(5): 55—58。[Xu Zhaoli, Wang Yunlong, Bai Xuemei, Chen Yaqu. 1999. An ecological study on zooplankton in the Changjiang estuary. *Journal of Fishery Sciences of China*, 6(5): 55-58. (in Chinese with English title, no English abstract)]
- 徐兆礼, 王云龙, 陈亚瞿, 胡辉, 韩明宝, 李兴华。1995。长江口河口锋区浮游动物生态研究 III。优势种的垂直分布, 中国水产科学, 2(1): 64—70。[Xu zhaoli, Wang Yunlong, Chen Yaqu, Hu Hui, Han Mingbao, Li Xinghua. 1995. An ecological study on zooplankton in plume frontal zone of Changjiang (Yangtze) River Estuarine area III. Vertical distribution of dominant species. *Journal of Fishery Sciences of China*, 2(1): 64-70 (in Chinese with English abstract)]
- 徐兆礼, 晁敏, 陈亚瞿。2004。东海浮游动物生物量分布特征, 海洋学报, 26(3): 93—101。[Xu Zhaoli, Chao Min, Chen Yaqu. 2004. Distribution characteristics of zooplankton biomass in the East China Sea. *Acta Oceanologica Sinica* 26(3): 93-101. (In Chinese with English abstract)]
- 徐兆礼, 崔雪森, 陈卫忠。2004。东海浮游桡足类的种类组成及优势种, 水产学报, 28(1): 35—40。[XU Zhaoli, CUI Xue-sen, CHEN Weizhong. 2004. Species composition and dominant species study on pelagic copepods in the East China Sea. *Journal of Fisheries of China* 28(1): 35-40. (In Chinese with English abstract)]
- 徐兆礼, 顾新根, 王云龙, 袁航, 陈亚瞿。1992。象山港赤潮期浮游生物生态特征的分析, 海洋通报 11(5): 46—53。[XU Zhaoli, GU Xingeng, WANG Yunlong, YUAN Hang and CHEN Yaqu. 1992. Ecological eigenvalue analyses of plankton of red tides occurred in Xiangshan Sound, Zhejiang. *Marine Science Bulletin* 11(5): 46-53. (In Chinese with English abstract)]
- 徐兆礼, 洪波, 朱明远, 陈亚瞿。2003。东海赤潮高发区春季浮游动物生态特征的研究, 应用生态学报 14(7): 1081-1085。[XU Zhaoli, HONG Bo, ZHU Mingyuan, CHEN Yaqu. 2003. Ecological characteristics of zooplankton in frequent HAB areas of the East China Sea in spring. *Chinese Journal of Applied Ecology* 14(7): 1081-1085. (In Chinese with English abstract)]
- 徐兆礼, 蒋玫, 晁敏, 王云龙, 袁骥, 陈亚瞿。2003。东海浮游桡足类的数量分布, 水产学报, 27(3): 258—264。[XU Zhaoli, JIANG Mei, CHAO Min, WANG Yunlong, YUAN Qi, CHEN Yaqu. 2003. Quantitative distribution of pelagic copepods in the East China Sea. *Journal of Fisheries of China* 27(3): 258-264. (In Chinese with English abstract)]
- 徐兆礼, 蒋玫, 陈亚瞿, 赵文武。2003。东海赤潮高发区春季浮游桡足类与环境关系的研究,

- 水产学报, 27增刊: 49—54。[XU Zhaoli, JIANG Mei, CHEN Yaqu, ZHAO WenWu. 2003. Study on relationship between pelagic copepods and environmental factors at frequent HAB areas in the East China Sea in spring. Journal of Fisheries of China 27, Suppl.: 49-54. (In Chinese with English abstract)]
- 徐兆礼, 沈新强, 马胜伟。2005。春、夏季长江口邻近水域浮游动物优势种的生态特征, 海洋科学, 29(12): 13—19。[XU Zhaoli, SHEN Xinqiang, MA Shengwei. 2005. Ecological characters of zooplankton dominant species in the waters near the Changjiang estuary in spring and summer. Marine Sciences 29(12): 13-19. (In Chinese with English abstract)]
- 徐兆礼, 沈新强, 袁骥, 陈亚瞿。2003。杭州湾洋山岛周围海域浮游动物分布特征, 水产学报, 27增刊: 69—75。[XU Zhaoli, SHEN Xinqiang, YUAN Qi, CHEN Yaqu. 2003. Distribution characteristics of zooplankton in waters around Yangshan Islands in Hangzhou Bay. Journal of Fisheries of China 27 suppl.: 69-75. (In Chinese with English abstract)]
- 徐兆礼, 沈新强。2005。长江口水域浮游动物生物量及其年间变化, 长江流域资源与环境, 14(3): 282—286。[XU Zhaoli, SHEN Xinqiang. 2005. Zooplankton biomass and its variation in water near Changjiang Estuary. Resources and Environment in the Yangtze Basin 14(3): 282-286. (In Chinese with English abstract)]
- 徐兆礼, 王荣, 陈亚瞿。2003。黄海南部及东海中小型浮游桡足类生态学研究 I. 数量分布, 水产学报, 27增刊: 1-8。[Xu Z, Wang R, Chen Y. 2003. Study on ecology of meso-small pelagic copepods in the Southern Yellow Sea and the East China Sea. I. quantitative distribution. Journal of Fisheries of China 27 suppl.: 1-8. ((In Chinese with English Abstract)]
- 徐兆礼, 王云龙, 陈亚瞿, 沈焕庭。1995。长江口最大浑浊带区浮游动物的生态研究, 中国水产科学, 2(1): 39—48。[XU Zhaoli, Wang Yunlong, CHEN Yaqu, SHEN Huanting. 1995. An ecological study on zooplankton in maximum turbid zone of estuarine area of Changjiang (Yangtze) river. Journal of Fishery Sciences of China 2(1): 39-48. (In Chinese with English Abstract)]
- 徐兆礼, 王云龙, 袁骥, 蒋玫, 陈亚瞿。1999。长江河口锋区桡足类优势种聚集特征的研究, 中国水产科学, 6(5): 15—19。[Xu Zhaoli, Yuan Qi, Jiang Mei, Wang Yunlong, Chen Yaqu. 1999. The study on assemblage density of copepods dominants in plume front zone of the Chanhjiang estuary. Journal of Fishery Sciences of China 6(5): 15-19 (in Chinese with English abstract)]
- 徐兆礼。2004。东海近海春季赤潮发生与浮游动物群落结构的关系, 中国环境科学, 24(3): 257-260。[XU Zhaoli. 2004. Relationship between red tide occurrence and zooplankton communities structure in the coastal sea of East China Sea in spring. China Environmental Science 24(3): 257-260. (In Chinese with English abstract)]
- 徐兆礼。2005。长江口北支水域浮游动物的研究. 应用生态学报, 16(7): 1341-1345 [XU Zhaoli. Zooplankton in north branch waters of Changjiang Estuary. Chin. J. Appl. Ecol., 2005, 16(7): 1341-1345. (in Chinese with English abstract)]
- 徐兆礼。2005。长江口邻近水域浮游动物群落特征及变动趋势, 生态学杂志, 24(7): 780—784。[XU Zhaoli. 2005. Character of zooplankton community and its variation in the water near the Yangtze River estuary. Chinese Journal of Ecology 24(7): 780-784. (In Chinese with English abstract)]
- 徐兆礼。2006。东海精致真刺水蚤(*Euchaeta concinna*)种群生态特征, 海洋与湖沼, 37(2):

- 97—104. [XU ZhaoLi. 2006. Ecological characters of *Euchaeta concinna* (copepod) in the East China Sea. *Oceanologia Et Limnologia Sinica* 37(2): 97-104. (In Chinese with English abstract)]
- 徐兆礼。2006。东海普通波水蚤种群特征与环境关系研究, 应用生态学报, 17(1): 107—112. [XU Zhaoli. 2006. Relationships between population characters of *Undinula vulgaris* (Copepoda) and environment in the East China Sea. *Chinese Journal of Applied Ecology* 17(1): 107-112. (In Chinese with English abstract)]
- 徐兆礼。2006。东海亚强真哲水蚤种群生态特征, 生态学报, 26(4): 1151—1158. [XU Zhaoli. 2006. Ecological characters of the *Eucalanus subcrassus* population in the East China Sea. *Acta Ecologica Sinica* 26(4): 1151-1158. (In Chinese with English abstract)]
- 杨关铭, 何德华, 王春生, 苗育田, 于洪华。1999。台湾以北海域浮游桡足类生物海洋学特征研究I. 数量分布, 海洋学报, 21(4): 78—86. [YANG Guanming, HE Dehua, WANG Chunsheng, Miao Yutian, YU Honghua. 1999. Study on the biological oceanographic characteristics of planktonic copepods in the waters north of Taiwan, China I. Abundance distribution. *Acta Oceanologica Sinica* 21(4): 78- 86. (In Chinese with English abstract)]
- 杨关铭, 何德华, 王春生, 苗育田, 于洪华。1999。台湾以北海域浮游桡足类生物海洋学特征研究II. 群落特征, 海洋学报, 21(6): 72—80. [YANG Guanming, HE Dehua, WANG Chunsheng, Miao Yutian, YU Honghua. 1999. Study on the biological oceanography characteristics of planktonic copepods in the waters north of Taiwan Island II. Community characteristics. *Acta Oceanologica Sinica* 21(6): 72-80. (In Chinese with English abstract)]
- 杨关铭, 何德华, 王春生, 苗育田, 于洪华。2000。台湾以北海域浮游桡足类生物海洋学特征研究III. 指示性种类, 海洋学报, 22(1): 72-80. 93—101. [YANG Guanming, HE Dehua, WANG Chunsheng, MIAO Yutian, YU Honghua. 2000. Study on the biological oceanographic characteristics of planktonic copepods in the waters north of Taiwan Province III. Indicator species. *Acta Oceanologica Sinica* 22(1): 93-101. (In Chinese with English abstract)]
- 杨关铭, 何德华, 王春生。1998。浙江省海岛海域环境生态特征 I. 浮游动物种类优势度与水体生态性质, 海洋环境科学, 17(4): 48—33. [YANG Guanming, HE Dehua, WANG Chunsheng. 1998. Ecology characteristics in the island waters off Zhejiang I. Species dominance of the zooplankton and ecology character of water. *Marine Environmental Science* 17(4): 48-33. (In Chinese with English abstract)]
- 杨关铭, 王春生, 何德华, 刘红斌, 祝希雅。1991。秦山核电站邻近水域浮游动物的生态特点, 东海海洋, 9(8): 88-108. [YANG Guanming, WANG Chunsheng, HE Dehua, LIU Hongbin, ZHU Xiya. 1991. Ecological characteristics of zooplankton in the waters near Qinshan Nuclear Power Station. *Donghai Marine Science* 9(8): 88-108. (In Chinese with English abstract)]
- 张金标。1988。厦门港湾海洋环境综合调查报告(II)——浮游动物, 台湾海峡, 7(1): 11—16. [ZHANG Jinbiao. 1988. Chapter 4 Marine biology Section 2 Zooplankton. *Journal of Oceanography in Taiwan Strait* 7(1): 11-16. (in Chinese with English abstract)] 纸质
- 张锦平, 徐兆礼, 汪琴, 陈亚瞿。2005。长江口九段沙附近水域浮游动物生态特征, 上海水产大学学报, 14(4): 383-389. [ZHANG Jinping, XU Zhaoli, WANG Qin, CHEN Yaqu. 2005. Ecological characteristics of zooplankton near the Jiuduansha waters of the Yangtze River estuary. *Journal of Shanghai Fisheries University*, 35(6): 568-576 (in

- Chinese with English abstract)]
- 张晓辉, 周燕, 龙华, 杨元利, 黄家庆, 余俊, 张成。2006。南麂列岛海洋保护区浮游动物调查, 动物学杂志, 41(4): 83—86。[ZHANG xiaohui, Zhou Yan, Long Hua, Yang Yuanli, Huang Jiaqing, Yu Jun, Zhang Cheng. Investigation on Zooplankton in Naji Marine Protected Area (MPA). Chinese Journal of Zoology 41(4): 83-86. (In Chinese with English abstract)]
- 郑执中。1965。黄海和东海西部浮游动物群落的结构及其季节变化, 海洋与湖沼, 7 (3): 199-204。[CHENG Tsi-Chung. 1965. The structure of zooplankton communities and its seasonal variation in the Yellow Sea and in the western East China Sea. Oceanologia et Limnologia Sinica 7 (3): 199-204 (in Chinese with English abstract)]
- 郑重, 1955。厦门海洋浮游动物的初步研究, 厦门大学学报自然科学版, (5): 1—16。[Zhen Z. 1955. Preliminary study on marine zooplankton in Xiamen. Journal of Xiamen University (Natural Science) 5: 1-16. (In Chinese without English title and abstract)]
- 郑重, 李少菁, 李松, 陈柏云。1982。台湾海峡浮游桡足类的分布, 台湾海峡1 (1): 69—79。[Zheng Zhong, Li Shaojing, Li Song and Chen Boyun. 1982. On the distribution of planktonic copepods in Taiwan Strait. Taiwan Strait 1(1): 69-79. (In Chinese with English abstract)]
- 朱长寿, 陈栩, 黄加祺。1999。福建湄洲岛周围海域浮游动物的分布, 台湾海峡, 18 (3) : 309—313。[ZHU Changshou, CHEN Xu, HUANG Jiaqi. 1999. Distribution of Zooplankton in waters around Meizhou Island of Fujian. Journal of Oceanography in Taiwan Strait 18(3): 309-313. (In Chinese with English abstract)]
- 朱长寿, 陈栩, 黄加祺。2000。福建省东山岛海域浮游动物的分布, 热带海洋 19(2): 45-50。[ZHU Changshou, CHEN Xu, HUANG Jiaqi. 2000. Distribution of zooplankton in Dongshan Island sea area, Fujian Province. Tropic Oceanology 19(2): 45-50. (In Chinese with English abstract)]
- 朱长寿, 陈栩。1990。福建南部沿海浮游动物量的平面分布和季节变化, 热带海洋, 9(4): 83-87。[ZHU Changshou, CHEN Xu. 1990. Distribution of biomass and abundance of zooplankton off south Fujian. Tropic Oceanology 9(4): 83-87. (In Chinese with English abstract)]
- 朱长寿, 陈栩, 陈友平。1991。兴化湾柯屿围垦水域浮游动物的组成和分布, 福建水产 (1): 53—57。[Zhu C, Chen X, Chen Y. 1991. Zooplankton composition and distribution in Xinghua Bay. Fujian Fisheries 1: 53-57. (In Chinese without English title or abstract)]
- 朱长寿, 陈栩。1995。台湾海峡中、北部及邻近海域夏季浮游动物总生物量的分布特点, 台湾海峡, 14(2): 139—143。[ZHU Changshou, CHEN Xu. 1995. Distribution features of total biomass of zooplankton in central and northern Taiwan Strait and its adjacent area in summer. Journal of Oceanography in Taiwan Strait 12(2): 139-143. (In Chinese with English abstract)]
- 朱长寿, 陈栩。1999。台湾海峡北部海区浮游动物的分布和群落划分, 热带海洋, 18(3): 66-73。[ZHU Changshou, CHEN Xu. 1999. Zooplanktonic distribution and community division in northern waters of Taiwan Strait. Tropic Oceanology 18(3): 66-73. (In Chinese with English abstract)]
- 朱长寿, 万伟龙, 陈栩, 苏鸣, 林元烧。1993。福建东山湾浮游动物的种类组成和分布特点, 热带海洋, 12 (3) : 10—16。[Zhu Changshou, Wan Weilong, Chen Xu, Su Ming, Lin Yuanshao. 1993. The features of zooplankton species composition and distribution in

- Dongshan Bay of Fujian. *Tropic Oceanology*, 12(3): 10-16. (In Chinese with English abstract)]
- 朱长寿。1997。闽江口浮游桡足类生态研究, 台湾海峡, 16 (1) : 75—79。[ZHU Changshou. 1997. Ecological study on planktonic copepoda in Minjiang Estuary. *Journal of Oceanography in Taiwan Strait* 16(1): 75-79. (In Chinese with English abstract)]
- 朱启琴。1988。长江口、杭州湾浮游动物生态调查报告, 水产学报, 12 (3): 111-120。 [ZHU Qiqin. 1988. An investigation on the Ecology of zooplankton in Changjiang Estuary and Hangzhou Bay. *Journal of Fisheries of China* 12 (3): 111-120 (in Chinese with English abstract)]
- 左涛, 王荣, 陈亚瞿, 高尚武, 王克。2005。春季和秋季东、黄海陆架区大型网采浮游动物群落划分, 生态学报, 25(7) : 1531- 1540。 [ZUO Tao, WANG Rong, CHEN Yaqu, GAO Shangwu, WANG Ke. 2005. Net macro-zooplankton community classification on the shelf area of the East China Sea and the Yellow Sea in spring and autumn. *Acta Ecologica Sinica* 25(7): 1531-1540. (In Chinese with English Abstract)]